### ICD-10 & IMS

WEBINAR TOPICS: 1. IMS BUILDS 071215 & 082415 2. SET UP FOR ICD-10 3. DIFFERENCES IN 071215 & 082415 4. ICD-9 TO ICD-10 CROSSWALK MANUAL/AUTOMATIC USING UTILITY 5. ICD-10 USE IN CHARGE POSTING & CLAIMS

AIM Services, Inc

### ICD-10 & IMS

### WEBINAR DOCUMENTS: 1. AIM SERVICES PRESENTATION 082415 2. MEDITAB'S ICD-10 USERS GUIDE 3. MEDITAB'S ICD-10 CROSSWALK GUIDE

WWW.AIMSUPPORT.NET/DOWNLOADS/DOCUMENTATIONLIBRARY/ICD10 GUIDES

### AIM Services, Inc

### IMS Builds

Build 071215 – ICD10 compliant but requires more manual updating of ICD-10 codes. Build 082415 – recently release and most AIM clients are either updated or scheduled for this update. Includes a utility program which allows for more automation in updating the ICD-10 codes.

Build 071215 or 082415 if you are not on one of these two builds contact <a href="mailto:support@aiminet.com">support@aiminet.com</a> 800-275-1353

# IMS Security Setting 082415 Build

### Setup | Security

Warning: this utility is intended for use by the office administrator and providers, not all users

Option 1:

Choose the Group such as Provider

add the ICD-10 utility access to the grants

```
***082415 build only***
```





# IMS Security Setting 082415 Build

### Setup | Security

Warning: this utility is intended for use by the office administrator and providers, not all users

Option 2:

Create a new Group such as ICD10 Admin and give grant / rights to that Group

Add this Group Grants to select staff

\*\*\*082415 build only\*\*\*

| 🛎   🕷 🛎  | /   🗁 🗹   🖄 | 🌭   🖃 🕙   🧇 |
|----------|-------------|-------------|
| Security | ,           |             |
| Group 💌  | ICD10 Admin | •           |
| 👷 Users  | 톓 Grants    |             |



### **IMS System Parameters**

### System Parameters:

Setup | System Parameters |

In the top right field, type in ICD-10

#### **Modules/Features**

ICD-10 compliance date transition defaults to 10/1/15. It is recommended that this date not be changed.

Enable Crosswalks [change to YES]

| Parameters        |                      |                    |                  |
|-------------------|----------------------|--------------------|------------------|
| System Parameters | 10                   |                    | 📁 <u>F</u> ilter |
| 🏶 Document Path   | Parameter            | Value              |                  |
|                   | <i>-</i> -           |                    |                  |
| ICD-10 Co         | mpliance Date (ICD-1 | 0 Transition Date) | 10/01/15 🌲       |



#### Required for both build 071215 and 082415

## **IMS User Parameters**

### User Parameters:

Setup | User Parameters |

#### Other

Default option for ICD-10 code type CM [clinical modification] = outpatient codes PCS [procedural coding] = institutional codes Both = allow for both sets of codes Parameters User Parameters 10 📋 Filter 🖉 Clear 🎡 Billing 🎡 Visit Note Parameter Value 🏶 Visit Note Template CM Schedule/Check In-Out Default option for ICD-10 code type (Other) 🍩 Beminder & Eax ICD-10 > Default value of ICD-10 Search screen while applying Prescription ICD-10 diagnosis code (Other) 🎡 Scanner ICD-9 to 10 🎡 Email ICD-10 to 9 Immunotherapy 🎡 Other 📋 Desc = '10'

Default value of ICD-10 [after transition date 10/1/15 diagnosis codes will be searchable 3 different ways] ICD-9 to 10 – search ICD-9 & equivalent ICD-10 ICD-10 to 9 – search ICD-10 & equivalent ICD-9 ICD-10 - select ICD-10 codes only

### Required for both build 071215 and 082415

### **IMS Insurance Carrier**

```
Insurance Carrier:
Setup | Payer/MedSrv/Ref
```

ICD-10 Transition Dt\* Defaults to 10/01/15

Importance of this area -- not all insurance carriers will be ready to receive ICD-10 on 10/1/15.

Users are allow to change the date based on insurance carrier.

\*This date pertains to the Plan as well

Note: If the insurance carrier delays the ICD-10 implementation date to 1/1/16, simply change the date on the carrier and it will be applied to the Plan as well.

|                            |                                  |               | Insurance      | Carrier 3 of 3 |
|----------------------------|----------------------------------|---------------|----------------|----------------|
| Code* MC001                | Type* Medicare                   |               | Send Claims: 🗹 | Active: 🔽      |
| Quick Code:                | ICD-10 Transition Dt* 10/01/15 🚔 | CMS Payer ID: |                |                |
| Name <sup>*</sup> Medicare |                                  |               |                |                |

### Required for both build 071215 and 082415

#### Setup | Bill Most Used ICD10 Codes

#### Start building the Most Used ICD-10 Codes List

ICD-10 codes are listed in the left panel and moved to the right panel. This allows easy access when implementing the ICD-10 codes. Most used ICD-10 Codes 'D' – Display in dropdown quick select diagnosis codes \*select top 10 to 20 and √ for quick access

Accessible from: visit note screen charge posting screen superbill screen

|              |            |  |    |   |       |                  |              |               | ICD-9 Code          |
|--------------|------------|--|----|---|-------|------------------|--------------|---------------|---------------------|
| Most Used    | ICD-10 Cod | e  |    |   |       |                  |              |               | ICD-10 Code         |
| ICD-10 Code  | Type Se    | earch:<br>escription v hyperten            |    |   |       |                  |              |               | ICD-9 Template      |
| Available IC | D-10 Codes | :  |    | ] | Mos   | t Used ICD-1     | 0 Codes:     |               | ICD-10 Template     |
| Code Type    | ICD-10     | Description                                |    |   | D     | Code Type        | ICD-10       | Descr         |                     |
| CM           | Q75.2      | Hypertelorism                              |    |   |       | CM               | 115.2        | Hyperte       | Payment Type        |
| СМ           | 115.2      | Hypertension secondary to endocrine disc   |    |   |       | CM               | 113.0        | Hyperter      | nsive heart and chr |
| СМ           | 115.1      | Hypertension secondary to other renal dis  | c  |   |       | CM               | 111.9        | Hyperter      | nsive heart disease |
| СМ           | 112.9      | Hypertensive chronic kidney disease with   |    |   |       |                  |              |               |                     |
| СМ           | 112.0      | Hypertensive chronic kidney disease with   |    |   |       |                  |              |               |                     |
| СМ           | 167.4      | Hypertensive encephalopathy                |    |   |       |                  |              |               |                     |
| CM           | 113.0      | Hypertensive heart and chronic kidney dis  |    | • |       |                  |              |               |                     |
| СМ           | 113.2      | Hypertensive heart and chronic kidney dis  | 5  | 4 |       |                  |              |               |                     |
| СМ           | 113.10     | Hypertensive heart and chronic kidney dis  | 5  |   | J     |                  |              |               |                     |
| СМ           | 113.11     | Hypertensive heart and chronic kidney dis  | \$ |   |       |                  |              |               |                     |
| СМ           | 111.0      | Hypertensive heart disease with heart fail |    |   |       |                  |              |               |                     |
| СМ           | 111.9      | Hypertensive heart disease without heart   |    |   |       |                  |              |               |                     |
| СМ           | H35.033    | Hypertensive retinopathy, bilateral        |    |   |       |                  |              |               |                     |
| СМ           | H35.032    | Hypertensive retinopathy, left eye         |    |   |       |                  |              |               |                     |
| СМ           | H35.031    | Hypertensive retinopathy, right eye        |    |   |       |                  |              |               |                     |
| СМ           | H35.039    | Hypertensive retinopathy, unspecified eye  |    |   |       |                  |              |               |                     |
| СМ           | 062.4      | Hypertonic, incoordinate, and prolonged u  | _  |   | D - D | )isplay in Dropd | own/Quick se | lect for diag | nosis codes         |
|              |            |  | -  |   |       | a subserver      |              |               |                     |

ree schedule...

Most Used ICD-9 code... Most Used ICD-10 Code

#### Manual setup required in build 071215 optional in build 082415

#### Setup | Bill ICD-10 Codes

#### ICD-10 Codes

From the ICD-10 code list, the Most used ICD-10 Codes are automatically displayed.

The importance of this screen is it enables you to 'link' the codes to areas of the visit note.

This may only be a task of the provider or MA and not the biller.

Examples are:

Lab Orders – link labs pertinent to that ICD-10 CPT – if you do procedures link to ICD-10 Reminders etc.

| Most Used ICD-9 code         ICD-9 Code         ICD-10 Code         ICD-10 Code         ICD-10 Template         ICD-10 Template         Payment Type         By:         ICD-10 Code Type CM × ICD ×         Active D       Code Type ICD-10*(?)         Pescription*         2. IF IM 11.3         Hypetensive heat disease without heat failure         2. IF IM 13.0         Hypetensive heat disease without heat failure         3. IF IM 10         Init To         Important tippe:         Prescription         Imit To         Imit To         Important         Important         Important         Important         Important         Important         Important  | ree schedule                            |  |        |
|--|---|--|--------|
| Most Used ICD-10 Code         ICD-9 Code         ICD-10 Code         ICD-10 Template         ICD-10 Template         Payment Type         By:         ICD-10 Code Type         Ichk To         Ichk To   | Most Used ICD-9 code                    |  |        |
| ICD-9 Code         ICD-10 Code         ICD-9 Template         ICD-10 Template         Payment Type         By:         ICD-10 Code Type CM ♥ ICD ♥         ICD-10 Code Type CM ♥ ICD ♥         Active D Code Type ICD ♥         ICD-10 Code Type CM ♥ ICD ♥         ICD-10 Code Type CM ♥ ICD ♥         ICD + 10 Code Type CM ♥ ICD ♥         ICD + 10 Code Type ICD + 10* (?) Description*         ICD + 10 Code Type ICD + 10* (?) Description*         ICD + 10 Code Type ICD + 10* (?) Description*         ICD + 10 Code Type ICD + 10* (?) Description*         ICD + 10 Code Type ICD + 10* (?) Description*         ICD + 10 Code Type ICD + 10* (?) Description*         ICD + 10 Code Type ICD + 10* (?) Description*         ICD + 10 Code Type ICD + 10* (?) Description*         ICD + 10 Code Type ICD + 10* (?) Description         Inth Viet Hypertensive heart disease without heart failure         Inth K To         Inth Cor         Inthor <th>Most Used ICD-10 Code</th> <th></th> <th></th>   | Most Used ICD-10 Code                   |  |        |
| ICD-10 Code         ICD-9 Template         ICD-10 Template         Payment Type         By:         ICD-10 Code Type         ICD-10 Code Type         M         ICD-10 Code Type         ICD T         Intk To:         Intho:         Intho: <th>ICD-9 Code</th> <th></th> <th></th>  | ICD-9 Code                              |  |        |
| ICD-9 Template<br>ICD-10 Template<br>Payment Type By:<br>ICD-10 Code Type CM ▼ ICD ▼<br>Active D Code Type ICD-10*(?) Description*<br>Active D Code Type ICD-10*(?) Description*<br>Active D Code Type ICD-10*(?) Description*<br>Active D Code Type ICD-10*(?) Description*<br>CM ▼ I1:3 Hypertensive heart disease without heart failure<br>2. ♥ ♥ CM ▼ I1:3 Hypertensive heart disease without heart failure<br>3. ♥ ♥ CM ▼ I5:2 Hypertension secondary to endocrine disorders<br>Which with Hypertensive heart disease without heart failure<br>Inth To<br>Energiption<br>Lab Order<br>Diagnostic<br>Careplan<br>Prescription<br>Days Supply: ♥ Qty: .00♥ ♥ Refit: ♥ Prescription  | ICD-10 Code                             |  |        |
| ICD-10 Template         Payment Type         By:         ICD-10 Code Type CM v ICD v         Active D Code Type ICD-10*(?) Description*         Active D Code Type ICD-10*(?) Description*       L         Active D Code Type ICD-10*(?) Description*       L         Statistical Code Type ICD-10*(?) Description*       L         Active D Code Type ICD-10*(?) Description*       L         Statistical Code Type ICD-10*(?) Description*       L         Active D Code Type ICD-10*(?) Description*       L         Statistical Code Type ICD-10*(?) Description       Rescription         Statistical Code Type ICD-10*(?) Description       Rescription         Statistical Code Type ICD-10*(?) Drug/Drug Group/Template* (?) SIG (?) A       I         Drug Paral       Days Supply: 2 Qty: .00 2 Refit         Days Supply: 2 Qty: .00 2 Refit       Refit< 2 C   | ICD-9 Template                          |  |        |
| Payment Type       By:         ICD-10 Code Type       CM         Active D       Code Type         ICD       ICD         Active D       Code Type         ICD-10*(?)       Description*         L       ICD         Active D       Code Type         ICD-10*(?)       Description*         L       ICD         Active D       Code Type         ICD       ICD         Active D       Code Type         ICD       ICD  | ICD-10 Template                         |  |        |
| Active D       Code Type       ICD-10*(?)       Description*       L         >>       V       V       I1.9       Hypertensive heart disease without heart failure       Image: Comparison of the compa   | Payment Type<br>ICD-10 Code Type CM ICD | By:  |        |
| >> V CM 11.3 Hypertensive heart disease without heart failure   2. V CM 13.0 Hypertensive heart and chronic kidney disease with heart failure   3. V CM 15.2 Hypertension secondary to endocrine disorders    (Mink with Hypertensive heart disease without heart failure   Ink To: Prescription   Lab Order Diagnostic   Diagnostic PT   Reminder Qty:     Authorization    (Introduction of the second seco   | Active D Code Type ICD-                 | 0*(?) Description*   | L      |
| 2. ▼ ▼ CM ▼ 13.0       Hypertensive heart and chronic kidney disease with heart failure and stage 1 %         3. ▼ ▼ CM ▼ 15.2       Hypertension secondary to endocrine disorders   | >> 🔽 🔽 CM 🖵 111.9                       | Hypertensive heart disease without heart failure                             | Ø      |
| 3. ▼ ▼ CM ▼ 15.2 Hypertension secondary to endocrine disorders       >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>  | 2. 🔽 🔽 CM 🖵 113.0                       | Hypertensive heart and chronic kidney disease with heart failure and stage 1 | 0      |
| Ink with Hypertensive heart disease without heart failure     ?       Link To     ?       Link To     Image: Supply S   | 3. 🔽 🗹 CM 🖵 115.2                       | Hypertension secondary to endocrine disorders                                | 0      |
| Link To     Type     Drug/Drug Group/Template* (?)     SIG (?)     A       Lab Order     I. Drug     I. Drug     II. Drug     III. Drug     III. Drug       Careplan     Days Supply:     Qty::     .00     III. Execution     III. Drug       Per     Reminder     Days Supply:     III. Drug     III. Drug     III. Drug   | Link with Hypertensive heart diseas     | e without heart failure  | ?      |
| Image: Subply independence (r)     State(r)     A independence (r)       Image: Subply independence (r)     State(r)     Image: Subply independence (r)       Image: Subply independence (r)     State(r)     Image: Subply independence (r)       Image: Subply independence (r)     State(r)     Image: Subply independence (r)       Image: Subply independence (r)     State(r)     Image: Subply independence (r)       Image: Subply independence (r)     State(r)     Image: Subply independence (r)       Image: Subply independence (r)     State(r)     Image: Subply independence (r)       Image: Subply independence (r)     State(r)     Image: Subply independence (r)       Image: Subply independence (r)     State(r)     Image: Subply independence (r)       Image: Subply independence (r)     State(r)     Image: Subply independence (r)       Image: Subply independence (r)     State(r)     Image: Subply independence (r)       Image: Subply independence (r)     State(r)     Image: Subply independence (r)       Image: Subply independence (r)     State(r)     Image: Subply independe  |   | Dura (Dura Group (Template* (2)  |        |
| Careplan     Days Supply:      Qty.: .00      P     Refilt:      P     Refilt:      P     P  | Lab Order 1 Dru                         |  |        |
| Carepion     Days Supply:     U(y:)     Out     Hemil:     Pr     Carepion     Cert     Cert | Diagnostic                              |  |        |
| Reminder     Authorization     December 201  | Carepian Day                            |  | Henii: |
|  | Beminder                                |  |        |
| 1 Standard Disk (Example 1   | - D Authorization                       |  |        |
|  | Fax/Print/Email                         |  |        |

### Manual setup required in build 071215 and 082415

#### Setup | Bill ICD-10 Codes

ICD-10 Codes can be linked thru the options within the Visit Note itself.

#### Setup | Visit Note

The importance of this screen is that using the 'link with' option, the Medical Staff can be prompted to choose the appropriate ICD-10 code from a selected list.

Eliminating some of the guess work on which ICD-10 to choose, this could be very helpful to the provider.

| i ce Julicuule        |
|-----------------------|
| Most Used ICD-9 code  |
| Most Used ICD-10 Code |
| ICD-9 Code            |
| ICD-10 Code           |
| ICD-9 Template        |
|                       |

Loo Lobodulo



#### Manual setup required in build 071215 and 082415

#### Setup | Bill ICD- 10 Templates

#### **ICD-10 Templates**

Create the ICD-10 diagnosis template. The diagnosis template is used by the provider in the Visit Note Diagnosis screen.

Recommended - Open the ICD-9 template screen and pull to the side. Next open the ICD-10 template screen. Note, both screens can be open at the same time. Using the ICD-9 descriptions, search for the appropriate ICD-10 code and begin building your diagnosis templates.

Build 082415 –proposed that this build will include a utility which will allow users to auto convert the ICD-9 templates to ICD-10. Projected release date is unknown.



#### Manual setup required in build 071215 optional in build 082415

### **IMS Health Maintenance**

#### Health Maintenance:

Activities | Health Maintenance ICD-10 Codes are available as well as the ICD-9 codes. Within the Health Maintenance area you are now able to choose ICD-10 conditions.

Document all areas within IMS containing linked ICD-9 codes.

Be prepared to update those areas to include the ICD-10 choices.



### Manual setup required in build 071215 and 082415

### IMS ICD-9 to ICD-10 -- 071215 & 082415

# ICD-9 Linking used throughout the program

We recommend you go thru IMS and document all areas which you may have linked ICD-9 codes.

Using that documentation, you can then prepare to update to include the ICD-10 choices.

### **Examples:**

Visit Note [071215]

Global / Quick Templates [071215]

Health Maintenance [both builds]

Letter Templates [both builds]

CPT Codes [071215] [valid diagnosis]

#### Manual setup required in build 071215 optional in build 082415

### Build 082415 only:

User must have rights thru Security Setup To run this utility Utilities | Other | ICD-10 Setup Utility

Benefits of this feature are:

Controlled access by security - user/group

Automated method to bring in ICD-10 codes – reduces manual task

Ability to be selective with ICD-10 code choices



Build 082415 Utility: Utilities | Other | ICD-10 Setup Utility

The initial window that opens is displayed to the right. Note the user name at the top.

The Introduction page gives a simple explanation – you must click the to proceed.



Setup 10 Setup Q Welcome Phillips, Anthony - Sign Out INTRODUCTION Welcome to ICD-10 Setup Utility for IMS DETAILS Introduction: ICD SELECTION FOR TEMPLATES This utility helps you to automatically add data in the Setup Module (General Equivalent Mapping Solution) available from CMS. ICD SELECTION Steps to use the Utility: EXECUTION STATUS 1. Select setup modules for which you want to add ICD-10 data an ICD-10 data.



🗘 IC

ICD S

#### Build 082415 Utility: Utilities | Other | ICD-10 Setup Utility

The various modules or areas within IMS you have the ability to automatically link the ICD-10 codes will display.

\*\*Warning: Please choose ONE module at a time to update. It is NOT recommended that more than one at a time be performed.\*\*

| D-10 Setup             | Q Welcome Phillips, Anthony - Sign       | <u>ı Out</u>   |                    |                          |                                     | <u>t   _                                   </u> |
|------------------------|--|----------------|--------------------|--------------------------|-------------------------------------|---|
| DUCTION                | ICD-10 Setup Modules                     |                |                    |                          |                                     |   |
| s                      | Engine Name: IMS_DemoDB3                 |                | Database Name: IM  | s                        |                                     |   |
| ELECTION FOR TEMPLATES | Meditab ID: 0430002 Build Date: 08242015 |                | Utility Status: En | nabled                   |                                     |   |
| LECTION                | Type of ICD-10 codes to be mapped        | and populated: | СМ -               |                          |                                     |   |
| TION STATUS            | Module Name                              | ICD-9 Entries  | ICD-10 Entries     | Run ICD-10<br>Utility? Ø | Backup Existing<br>ICD-10? <b>@</b> | Clear Existing<br>ICD-10? 0                     |
|                        | 1. Most Used ICD                         | 311            | 11                 | ×                        |                                     | X   |
|                        | 2. Diagnosis Templates                   | 10686          | 3                  | X                        |                                     |   |
|                        | 3. Global Template(Visit Note)           | 268            | 0                  | X                        |                                     | X   |
|                        | 4. MonitorIF                             | 0              | 0                  | X                        |                                     | X   |
|                        | 5. Flowsheet                             | 0              | 0                  | X                        |                                     | X   |
|                        | 6. Valid Diagnosis Code Setup            | 1              | 0                  | X                        |                                     |   |
|                        | 7. FQHC Eligibility Setup                | 0              | 0                  | X                        |                                     | X   |
|                        |  |                |                    |                          |                                     |   |

Æ

#### Build 082415 Utility: Utilities | Other | ICD-10 Setup Utility

Each module in the list will display the current ICD-9 entries and the ICD-10 entries.

By checking the X you are now choosing the module you wish to update.

The X turns into a  $\sqrt{}$  'check mark'. To proceed click the arrow located at bottom right.

\*\*Note: you also have the ability to clear out any ICD-10 codes you may have manually entered.\*\* Type of ICD-10 codes to be mapped and populated: CM

| Module Name                    | ICD-9 Entries | ICD-10 Entries | Run ICD-10<br>Utility? Ø | Backup Existing<br>ICD-10? <b>(</b> ) | Clear Existing<br>ICD-10? <b>0</b> |
|--------------------------------|---------------|----------------|--------------------------|---------------------------------------|------------------------------------|
| 1. Most Used ICD               | 311           | 11             | X                        |                                       | X                                  |
| 2. Diagnosis Templates         | 10686         | 3              | ×                        |                                       | ×                                  |
| 3. Global Template(Visit Note) | 268           | 0              | X                        |                                       | X                                  |
| 4. MonitorIF                   | 0             | 0              |                          |                                       |                                    |

| Module Name            | ICD-9 Entries | ICD-10 Entries | Run ICD-10<br>Utility? 🔞 | Backup Existing<br>ICD-10? 0 | Clear Existin<br>ICD-10? 0 |
|------------------------|---------------|----------------|--------------------------|------------------------------|----------------------------|
| 1. Most Used ICD       | 311           | 11             |                          |                              | X                          |
| 2. Diagnosis Templates | 10686         | 3              | X                        |                              |                            |

#### Build 082415 Utility: Utilities | Other | ICD-10 Setup Utility

Using the module "Most Used ICD" will display the current ICD-9 entries. By default the  $\sqrt{}$  mark is set to ALL in the selection. Remove that check.

This will now deselect all codes.

Select a ICD-9 code and note the ICD-10 choices are displayed to the right. Deselect the ICD-10 codes you do NOT wish to use.

Go thru each ICD-9 code making choices then click the arrow to the right to move forward.

#### ICD-10 Mapping Selection

The list of ICD-9 Codes present in the database for the selected modules :

| ICD-9 |  | Search :   |             |   |                            |   |  |
|-------|--|--|-------------|---|----------------------------|---|--|
|       | CODE                                       | DESCRIPTION  |             |   |                            |   |  |
| ~     | V76.21                                     | Mammogram Screening  |             | •                                       |                            |   |  |
| ~     | V76.11                                     | Screening Mammogram f<br>Malignant Neoplasm of 3<br>in High-Risk Patient   | or<br>reast |   |                            |   |  |
| ~     | 281.1                                      | B12 Deficiency Anemia N<br>Floewhere Classified  | ot          |   |                            |   |  |
| ICD-9 |  | Search :   |             | ICD-1                                   | 10                         |   | Search :   |
|       |  |  |             |   |                            |   |  |
|       | CODE                                       | DESCRIPTION  |             | ~                                       | ТҮРЕ                       | CODE  | DESCRIPTION  |
|       | CODE<br>/76.21                             | DESCRIPTION<br>Mammogram Screening   |             | ✓<br>✓                                  | <b>TYPE</b><br>CM          | <b>CODE</b><br>D51.9                              | DESCRIPTION<br>Vitamin B12 deficiency anemia,<br>unspecified   |
|       | CODE<br>/76.21<br>/76.11                   | DESCRIPTION<br>Mammogram Screening<br>Screening Mammogram for<br>Malignant Neoplasm of Breas   | t           | <ul><li></li><li></li><li></li></ul>    | <b>ТҮРЕ</b><br>СМ<br>СМ    | <b>CODE</b><br>D51.9<br>D51.2                     | DESCRIPTION<br>Vitamin B12 deficiency anemia,<br>unspecified<br>Transcobalamin II deficiency   |
|       | CODE<br>/76.21<br>/76.11<br>281.1          | DESCRIPTION<br>Mammogram Screening<br>Screening Mammogram for<br>Malignant Neoplasm of Breas<br>in High-Risk Patient<br>B12 Deficiency Anemia Not  | t           | ><br>><br>>                             | CM<br>CM<br>CM<br>CM       | CODE<br>D51.9<br>D51.2<br>D51.3                   | DESCRIPTION<br>Vitamin B12 deficiency anemia,<br>unspecified<br>Transcobalamin II deficiency<br>Other dietary vitamin B12 deficiency<br>anemia   |
|       | CODE<br>/76.21<br>/76.11<br>281.1          | DESCRIPTION<br>Mammogram Screening<br>Screening Mammogram for<br>Malignant Neoplasm of Breas<br>in High-Risk Patient<br>B12 Deficiency Anemia Not<br>Elsewhere Classified                | t           | ><br>><br>><br>>                        | CM<br>CM<br>CM<br>CM       | CODE<br>D51.9<br>D51.2<br>D51.3<br>D51.8          | DESCRIPTION<br>Vitamin B12 deficiency anemia,<br>unspecified<br>Transcobalamin II deficiency<br>Other dietary vitamin B12 deficiency<br>anemia<br>Other vitamin B12 deficiency anemia  |
|       | CODE<br>/76.21<br>/76.11<br>281.1<br>788.0 | DESCRIPTION<br>Mammogram Screening<br>Screening Mammogram for<br>Malignant Neoplasm of Breas<br>in High-Risk Patient<br>B12 Deficiency Anemia Not<br>Elsewhere Classified<br>Renal Colic | t           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>> | CM<br>CM<br>CM<br>CM<br>CM | CODE<br>D51.9<br>D51.2<br>D51.3<br>D51.8<br>D51.1 | DESCRIPTION<br>Vitamin B12 deficiency anemia,<br>unspecified<br>Transcobalamin II deficiency<br>Other dietary vitamin B12 deficiency<br>anemia<br>Other vitamin B12 deficiency anemia<br>Vitamin B12 deficiency anemia due t |

### Build 082415 Utility:

Utilities | Other | ICD-10 Setup Utility

After the Utility is run the results will be displayed.

Afterwards the Module which was updated will show as successful.

Additionally the ICD-10 Entries is now updated.

Note: It is recommended you run this utility once only per module.

| Free mobile of |                  |                                      |             |                                  |                          |                            |            |       |
|----------------|------------------|--------------------------------------|-------------|----------------------------------|--------------------------|----------------------------|------------|-------|
| Execution      | n History        |                                      |             |                                  |                          |                            |            |       |
| Engine Na      | me: IMS_DemoDB3  | Database Name:                       | IMS         |                                  |                          |                            |            |       |
| Execution      | History:         |                                      | Execution F | Result for : <b>09/16/2015</b> : | 12:39                    |                            |            |       |
| SR. NO         | DATE TIME        | USER                                 | SR. NO      | MODULE NAME                      | ICD-9 ENTRIES            | ICD-10 ENTRIES             | BACKUP?    | CLEAR |
| 1              | 09/16/2015 12:39 | Phillips, Anthony                    | 1           | Most Used ICD                    | 311 -> 316               | 11 -> 12                   |            | X     |
|                |                  |                                      |             |                                  |                          |                            |            |       |
|                |                  |                                      |             |                                  |                          |                            |            |       |
|                | Progress         |                                      |             |                                  |                          |                            |            |       |
|                | -                |                                      |             |                                  |                          |                            |            |       |
|                | Module Nam       | <b>D</b>                             | Rackun Té   | do e-ao                          | ear Existing ICD-1       | 0 Populat                  | ing ICD-10 |       |
|                | House Hall       | 5                                    | Dackup I    |                                  | cal Existing feb 1       | o ropulac                  | ing 100 10 |       |
|                |                  |                                      |             |                                  |                          |                            |            |       |
|                | 1. Most Used IC  | D                                    | Succes      | 55                               | NA                       |                            | Success    |       |
|                | 1. Most Used IC  | D                                    | Succes      | 55                               | NA                       | \$                         | Success    |       |
|                | 1. Most Used IC  | D                                    | Succes      | 55                               | NA                       | 5                          | Success    |       |
|                | 1. Most Used IC  | D                                    | Succes      | 35                               | NA                       | Rup ICD -                  | Guccess    |       |
|                | 1. Most Used IC  | D<br>Module Name                     | Succes      | ICD-9 Entries                    | NA                       | es Run ICD-1<br>Utility? Ø | Success    |       |
|                | 1. Most Used IC  | D<br>Module Name                     | Succes      | ICD-9 Entries                    | NA<br>ICD-10 Entri       | es Run ICD-1<br>Utility? @ | Success    |       |
|                | 1. Most Used IC  | D<br>Module Name<br>1. Most Used ICD | Succes      | ss<br>ICD-9 Entries<br>316       | NA<br>ICD-10 Entri<br>12 | es Run ICD-1<br>Utility? Ø | Success    |       |
|                | 1. Most Used IC  | D<br>Module Name<br>1. Most Used ICD | Succes      | ss<br>ICD-9 Entries<br>316       | NA<br>ICD-10 Entri<br>12 | es Run ICD-<br>Utility? @  | Success    |       |

## IMS Crosswalk Troubleshooting

### ICD-9 to ICD-10 Troubleshooting:

IMS will automatically prompt the user to choose an ICD-9 code until the compliance date of 10/1/15.

Dates of service 10/1/15 and forward, you will be prompted to choose an ICD-10 code.

IMS looks at the following when prompting for the ICD-10 code: Insurance compliance date from patient case Insurance compliance date from patient master System Parameter - compliance date

## ICD-10 compliance date priority why is this important?

If the charge/claim shows an ICD-9 code after the 10/1/15 compliance deadline; then one of these three areas is set to a future date.

First check to see if the patient has an insurance linked in the case – what is the ICD-10 compliance date for that carrier?

Second, the insurance linked within the patient master; what is the compliance date for it?

Last – the system parameter compliance date.

### **IMS Crosswalk Preparation**

#### ICD-9 Codes -Visit Note

Dates of service **prior** to 10/1/15

When choosing the diagnosis – both the template and active codes will display the ICD-9 code set.

Tip: start preparing for ICD-10 by building the 'most common ICD-10 codes'.

Notice the Tabs from the Diagnosis screen include ICD-9 to ICD-10. Simply enter the ICD-9 code and search for the various ICD-10 codes.

By selecting the ICD-10 codes from the list, these codes will now be included in the ICD-10 Most Used window.

Important: Because it is prior to 10/1/15, the ICD-9 code will be on the billing, you are simply building your ICD-10 common list.



|   | Most Used ICD-10 Codes: |           |        |   |  |  |  |  |
|---|-------------------------|-----------|--------|---|--|--|--|--|
|   | D                       | Code Type | ICD-10 | Description                             |  |  |  |  |
|   | ◄                       | СМ        | l11.9  | Hypertensive heart disease without h    |  |  |  |  |
|   | ☑                       | СМ        | l13.0  | Hypertensive heart and chronic kidne    |  |  |  |  |
|   | ◄                       | CM        | 115.2  | Hypertension secondary to endocrine     |  |  |  |  |
|   |                         | СМ        | E03.9  | Hypothyroidism, unspecified             |  |  |  |  |
|   |                         | СМ        | E08.9  | Diabetes mellitus due to underlying co  |  |  |  |  |
|   |                         | СМ        | E66.9  | Obesity, unspecified                    |  |  |  |  |
| 1 |                         | CM        | F32.8  | Other depressive episodes               |  |  |  |  |
| 1 |                         | СМ        | J39.8  | Other specified diseases of upper resp  |  |  |  |  |
| J |                         | СМ        | J39.9  | Disease of upper respiratory tract, un: |  |  |  |  |

## **IMS Crosswalk Preparation**

#### ICD-10 Codes - Visit Note

Dates of service 10/1/15 forward

When choosing the diagnosis – both the template and active codes will display the ICD-10 code set.

Based on the user parameter setting shown earlier, the screen opens to the diagnosis tab of choice. \*Remember Setup | User parameter | default ICD-10 code.

Not sure of the ICD-10 code? Input the known ICD-9 code, then choose the appropriate ICD-10.

This ICD-10 code will now be included in the ICD-10 Most Used window. Also, the ICD-10 code will be used in the billing.

The ICD-10 templates must be updated as the code does not auto flow into this area. Nor will this code be in the quick pick unless checked to display.



## **IMS Crosswalk Preparation**

#### ICD-10 Charge Posting

Charge Posting 10/1/15 forward

When posting the charges and choosing the diagnosis – the ICD-10 codes will be displayed. Only those codes checked to 'D' display will be included in the drop down – quick pick list.

If you don't know the ICD-10, simply click on the ? and the search screen with the 3 tabs appears -ICD-9 to ICD-10 ICD10 to ICD-9 ICD-10

By choosing the new ICD-10 code, it will automatically populate the Most Used ICD-10 list. Until you have placed the  $\sqrt{}$  in the code to display, it will not be included as a drop down – quick pick.

|                   | Se                                 | r <u>v</u> ice F | rom* 10. | /01/15 🚖   | Servi  | ice To'  | 10/01/   | '15 🚔 Bi   | ll No.: 800  | 0000016   |          |               | Ne     | w B |
|-------------------|------------------------------------|------------------|----------|------------|--|----------|----------|------------|--------------|-----------|----------|---------------|--------|-----|
|                   | S <u>C</u> PT* (?) <u>D</u> iagnos |                  |          | sis* (IC   | is* (ICD) (?)  |          |          |            |              |           |          | Modifier POS* |        |     |
|                   | 1                                  | 99214            |          |            | -  |          | -        |            | <b>-</b>     | -         | T Dx     |               | 11     | -   |
|                   |                                    |                  |          | 111.9      | Нуре   | ertensiv | /e heart | disease w  | ithout hear  | t failure |          |               |        |     |
|                   |                                    |                  |          | 113.0      | Hypertensive heart and chronic kidney disease with heart failure and<br>through stage 4 chronic kidney disease, or unspecified chronic kidne |          |          |            |              |           |          |               |        |     |
| -                 |                                    |                  |          |            | disea  | ase      | -        |            |              |           |          |               |        |     |
| 1<br>Se           | arc                                | h ICD            | - 10     | 11157      | Hube   | ertensir | nn secor | dary to er | ndocrine dis | sorders   |          |               |        |     |
|                   |                                    |                  |          |            | ICD  | 10       |          |            |              |           |          |               |        |     |
|                   |                                    |                  |          |            | ICD  | 10       |          |            |              |           |          |               |        |     |
|                   |                                    | Desc             | ription  | ( <u>)</u> | _  |          |          |            |              |           |          |               |        |     |
| ICD-10 Code ( , ) |                                    |                  |          |            |  | Mos      | st Used  | I ICD-10   | ) Codes:     |           |          |               |        |     |
|                   |                                    |                  |          |            |  | D        | Code     | е Туре     | ICD-10       | ) De      | scrip    | tion          |        |     |
|                   |                                    |                  |          |            |  |          | СМ       |            | 111.9        | Нур       | erten    | sive hear     | t dise | 58  |
|                   |                                    |                  |          |            |  |          | CM       |            | 113.0        | Нур       | erten    | sive hear     | t and  | d c |
|                   |                                    |                  |          |            |  |          | CM       |            | 115.2        | Нур       | erten    | sion seco     | ndai   | ſy  |
|                   |                                    |                  |          |            |  |          | СМ       |            | E03.9        | Нур       | othyr    | oidism, ur    | ispe   | cil |
|                   |                                    |                  |          |            |  |          | СМ       |            | E08.9        | Dial      | betes    | mellitus d    | lue ti | 0   |
|                   |                                    |                  |          |            |  |          | CM       |            | E66.9        | Obe       | esity, i | unspecifie    | ed .   | _   |

## IMS ICD-10 Codes on Claim Screen

#### ICD-10 Charge Posting to Claim

Starting 10/1/15 forward

When posting the charges and choosing the appropriate ICD-10 diagnosis code, the charge posting screen and the claim itself will display the ICD-10 diagnosis code.

| Pa | Patient*(?)         Cantu, Fred (7)         2         i®         i         F         5/4/1987 28 Yr 4 Month |          |       |                |      |      |     |
|----|---|----------|-------|----------------|------|------|-----|
|    | Srv. From   | Srv. To  | CPT   | Diagnosis(ICD) | Mod1 | Mod2 | Mod |
| >  | 10/01/15  | 10/01/15 | 99214 | F32.8, E08.9   |      |      |     |

| F32.8                                | E08.9             |       | U  |         |       |          |
|--------------------------------------|-------------------|-------|----|---------|-------|----------|
| OFFICE OUTPT EST 2<br>10 01 15 10 01 | 25 MIN<br>1 15 11 | 99214 | AB | 37.50 1 | N 098 | 37654321 |

### **IMS ICD-10 Documents**

 AIM Services Webinar Presentation 082415
 Meditab's ICD-10 Crosswalk User Guide
 Meditab's ICD-10 User Guide

www.aimsupport.net Tel: 800-275-1353

